



兔抗 CUL5 多克隆抗体

中文名称: 兔抗 CUL5 多克隆抗体

英文名称: Anti-CUL5 rabbit polyclonal antibody

别 名: cullin 5; CUL-5; VACM1; VACM-1

抗 原: CUL5

储 存: 冷冻 (-20°C)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse, Rat

标记物: Unconjugate


克隆类型: rabbit polyclonal

技术规格

Background:

Core component of multiple SCF-like ECS (Elongin-Cullin 2/5-SOCS-box protein) E3 ubiquitin-protein ligase complexes, which mediate the ubiquitination and subsequent proteasomal degradation of target proteins. As a scaffold protein may contribute to catalysis through positioning of the substrate and the ubiquitin-conjugating enzyme. The functional specificity of the E3 ubiquitin-protein ligase complex depends on the variable substrate recognition component. ECS(SOCS1) seems to direct ubiquitination of JAK 2. Seems to be involved in proteasomal degradation of p53/TP53 stimulated by adenovirus E1B-55 kDa protein.

	May form a cell surface vasopressin receptor.
Applications:	ELISA, IHC
Name of antibody:	CUL5
Immunogen:	Fusion protein of human CUL5
Full name:	cullin 5
Synonyms:	CUL-5; VACM1; VACM-1
SwissProt:	Q93034
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human liver cancer
IHC Recommend dilution:	50-200



mlbio 海聯生物
Good elisakit producers

