

兔抗 CDC6 多克隆抗体

- 中文名称: 兔抗 CDC6 多克隆抗体
- 英文名称: Anti-CDC6 rabbit polyclonal antibody
- 别名: CDC18L, HsCDC6, HsCDC18
- 相关类别: 一抗
- 抗 原: CDC6
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is highly similar to Saccharomyces cerevisiae Cdc6, a protein essential for the initiation of DNA replication. This protein functions as a regulator at the early steps of DNA replication. It localizes in cell nucleus during cell cyle G1, but translo cates to the cytoplasm at the start of S phase. The su bcellular translocation of this protein during cell cyle is regulated through its phosphorylation by Cdks. Transcr iption of this protein was reported to be regulated in
	iption of this protein was reported to be regulated in response to mitogenic signals through transcriptional c
	ontrol mechanism involving E2F proteins.



Applications:	ELISA, WB, IHC
Name of antibody:	CDC6
Immunogen:	Synthetic peptide of human CDC6
Full name:	cell division cycle 6
Synonyms:	CDC18L; HsCDC6; MGORS5; HsCDC18
SwissProt:	Q99741
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human breast cancer and Human colon cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	63 kDa
WB Positive control:	K562 and 293T cells
WB Recommended dilution:	200-1000





