

## 兔抗 CDC42EP5 多克隆抗体

- 中文名称: 兔抗 CDC42EP5 多克隆抗体
- 英文名称: Anti-CDC42EP5 rabbit polyclonal antibody
- 别名: CEP5; Borg3
- 抗 原: CDC42EP5
- 储存: 冷冻 (-20℃) 避光
- 宿 主: Rabbit
- 反应种属: Human Mouse
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: Unconjugate

## 技术规格

Background:	Cell division control protein 42 (CDC42), a small Rho G TPase, regulates the formation of F-actin-containing str uctures through its interaction with the downstream eff ector proteins. The protein encoded by this gene is a member of the Borg (binder of Rho GTPases) family of CDC42 effector proteins. Borg family proteins contain a CRIB (Cdc42/Rac interactive-binding) domain. They bind to CDC42 and regulate its function negatively. The enc oded protein may inhibit c-Jun N-terminal kinase (JNK) independently of CDC42 binding. The protein may also
	independently of CDC42 binding. The protein may also play a role in septin organization and inducing pseudo



	podia formation in fibroblasts
Applications:	WB
Name of antibody:	CDC42EP5
Immunogen:	Synthesized peptide derived from N-terminal of human BORG3.
Full name:	CDC42 effector protein (Rho GTPase binding) 5
Synonyms :	CEP5; Borg3
SwissProt:	Q6NZY7
WB Predicted band size:	15 kDa
WB Positive control:	Jurkat cells lysate
WB Recommended dilution:	500-3000

