

兔抗 EDA 多克隆抗体

中文名称: 兔抗 EDA 多克隆抗体

英文名称: Anti-EDA rabbit polyclonal antibody

别 名: ED1; HED; EDA1; EDA2; HED1; ODT1; XHED; ECTD1; XLHED; ED1-A1; ED1-A2; EDA-A1; EDA-A2; STHAGX1

相关类别: 一抗

储 存: 冷冻(-20℃)

抗原: EDA

宿 主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a type II memb rane protein that can be cleaved by furin to produc e a secreted form. The encoded protein, which belo ngs to the tumor necrosis factor family, acts as a ho motrimer and may be involved in cell-cell signaling during the development of ectodermal organs. Defec ts in this gene are a cause of ectodermal dysplasia, anhidrotic, which is also known as X-linked hypohidr otic ectodermal dysplasia. Several transcript variants encoding many different isoforms have been found f



	or this gene.
Applications:	ELISA, IHC
Name of antibody:	EDA
Immunogen:	Fusion protein of human EDA
Full name:	ectodysplasin A
Synonyms :	ED1; HED; EDA1; EDA2; HED1; ODT1; XHED; ECTD1;
	XLHED; ED1-A1; ED1-A2; EDA-A1; EDA-A2; STHAGX1
SwissProt:	Q92838
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	50-200

