

小鼠抗 ERCC1 单克隆抗体

- 中文名称: 小鼠抗 ERCC1 单克隆抗体
- 英文名称: Anti-ERCC1 mouse monoclonal antibody
- 别 名: COFS4; RAD10; UV20
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃) 避光
- 宿 主: Mouse
- 抗 原: ERCC1
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: mouse monoclonal

技术规格

	The product of this gene functions in the nucleotide excisio n repair pathway, and is required for the repair of DNA lesi ons such as those induced by UV light or formed by electr ophilic compounds including cisplatin. The encoded protein
Background:	forms a heterodimer with the XPF endonuclease (also know n as ERCC4), and the heterodimeric endonuclease catalyzes the 5' incision in the process of excising the DNA lesion. T
	he heterodimeric endonuclease is also involved in recombin ational DNA repair and in the repair of inter-strand crosslin ks. Mutations in this gene result in cerebrooculofacioskeletal syndrome, and polymorphisms that alter expression of this



	gene may play a role in carcinogenesis. Multiple transcript variants encoding different isoforms have been found for th is gene. The last exon of this gene overlaps with the CD3e molecule, epsilon associated protein gene on the opposite s trand. [provided by RefSeq].
Applications:	WB, IF, FC
Name of antibody:	ERCC1
Immunogen:	Fusion protein of human ERCC1
Full name:	excision repair cross-complementation group 1 (ERCC1), tran script variant 2
Synonyms:	COFS4; RAD10; UV20
SwissProt:	P07992
WB Predicted band size:	33 kDa
WB Positive control:	HepG2, Hela, A549, Jurkat, MCF-7 cell lysates
WB Recommended dilution:	500-2000

