



兔抗 TCEB3 多克隆抗体

中文名称：兔抗 TCEB3 多克隆抗体

英文名称：Anti-TCEB3 rabbit polyclonal antibody

别名：EloA; SIII; TCEB3A; SIII p110

抗原：TCEB3

储存：冷冻（-20°C）避光

宿主：Rabbit

反应种属：Human Mouse Rat

相关类别：一抗

标记物：Unconjugate


克隆类型：Unconjugate

技术规格

Background:

This gene encodes the protein elongin A, which is a subunit of the transcription factor B (SIII) complex. The SIII complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically expressed in the testis, and capable of forming a stable complex with elongins B and C. The von Hippel-Lindau tumor suppressor protein (VHL) interacts with the SIII complex, and this interaction is required for the transcriptional activity of the complex.

	or protein binds to elongins B and C, and thereby inhibits transcription elongation.
Applications:	WB, IHC
Name of antibody:	TCEB3
Immunogen:	Synthesized peptide derived from internal of human ELOA1.
Full name:	transcription elongation factor B (SIII), polypeptide 3 (110kDa, elongin A)
Synonyms :	EloA; SIII; TCEB3A; SIII p110
SwissProt:	Q14241
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	90 kDa
WB Positive control:	Jurkat cells and Huvec cells lysates
WB Recommended dilution:	500-3000



mlbio 海联生物
Good elisakit producers

