

小鼠抗 IFITM2 单克隆抗体

中文名称：小鼠抗 IFITM2 单克隆抗体

英文名称：Anti-IFITM2 mouse monoclonal antibody

别名：interferon induced transmembrane protein 2; 1-8D; DSPA2c

相关类别：一抗

储存：冷冻（-20℃）

宿主：Mouse

抗原：IFITM2

反应种属：Human

标记物：Unconjugate

克隆类型：mouse monoclonal

技术规格

Background:	IFN-induced antiviral protein which inhibits the entry of viruses to the host cell cytoplasm, permitting endocytosis , but preventing subsequent viral fusion and release of viral contents into the cytosol. Active against multiple viruses, including influenza A virus, SARS coronavirus (SARS-CoV), Marburg virus (MARV), Ebola virus (EBOV), Dengue virus (DENV), West Nile virus (WNV), human immunodeficiency virus type 1 (HIV-1) and vesicular stomatitis virus (VSV). Can inhibit: influenza virus hemagglutinin protein-mediated viral entry, MARV and EBOV GP1,2-mediated viral entry, SARS-CoV S protein-mediated viral entry and V
--------------------	---

	SV G protein-mediated viral entry. Induces cell cycle arrest and mediates apoptosis by caspase activation and in p53-independent manner.
Applications:	WB, IHC
Name of antibody:	IFITM2
Immunogen:	Fusion protein of human IFITM2
Full name:	interferon induced transmembrane protein 2
Synonyms:	1-8D; DSPA2c
SwissProt:	Q01629
IHC positive control:	Human appendix tissue and Human liver tissue
IHC Recommend dilution:	200-500
WB Predicted band size:	15 KD
WB Positive control:	HepG2, NCI-H460 cell lysates
WB Recommended dilution:	500-2000