

小鼠抗 TNFRSF10B 单克隆抗体

中文名称： 小鼠抗 TNFRSF10B 单克隆抗体

英文名称： Anti-TNFRSF10B mouse monoclonal antibody

别名： CD262; DR5; KILLER; KILLER/DR5; TRAIL-R2; TRAILR2; TRICK2; TRICK2A; TRICK2B; TRICKB; ZTNFR9

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Mouse

抗原： TNFRSF10B

反应种属： Human

标记物： Unconjugate

克隆类型： mouse monoclonal

技术规格

Background:	The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene. [provided by RefSeq, Mar 2009].
Applications:	WB, IHC

Name of antibody:	TNFRSF10B
Immunogen:	Fusion protein of human TNFRSF10B
Full name:	tumor necrosis factor receptor superfamily, member 10b (TNFRSF10B), transcript variant 2
Synonyms:	CD262; DR5; KILLER; KILLER/DR5; TRAIL-R2; TRAILR2; TRICK2; TRICK2A; TRICK2B; TRICKB; ZTNFR9
SwissProt:	O14763
IHC positive control:	adenocarcinoma of human ovary tissue and human pancreas tissue; human prostate tissue
IHC Recommend dilution:	30-150
WB Predicted band size:	48 kDa
WB Positive control:	Hela, HepG2, K562, MCF-7 cell, Human brain tissue lysates
WB Recommended dilution:	500-2000

