

## 兔抗 CD48 多克隆抗体

中文名称: 兔抗 CD48 多克隆抗体

英文名称: Anti-CD48 rabbit polyclonal antibody

别名: CD48 molecule; BCM1; BLAST; hCD48; mCD48; BLAST1; SLAMF2; MEM-102

抗原: CD48

储存: 冷冻 (-20℃)

宿主: Rabbit

反应种属: Human

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

#### Background:

This gene encodes a member of the CD2 subfamily of immunoglobulin-like receptors which includes SLAM (signaling lymphocyte activation molecules) proteins. The encoded protein is found on the surface of lymphocytes and other immune cells, dendritic cells and endothelial cells, and participates in activation and differentiation pathways in these cells. The encoded protein does not have a transmembrane domain, however, but is held at the cell surface by a GPI anchor via a C-terminal domain which maybe cleaved to yield a soluble form of the receptor. Multiple transcript variants

	encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	CD48
<b>Immunogen:</b>	Fusion protein of human CD48
<b>Full name:</b>	CD48 molecule
<b>Synonyms:</b>	BCM1; BLAST; hCD48; mCD48; BLAST1; SLAMF2; MEM-102
<b>SwissProt:</b>	P09326
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human esophagus cancer
<b>IHC Recommend dilution:</b>	40-200
<b>WB Predicted band size:</b>	28 kDa
<b>WB Positive control:</b>	Raji, Jurkat, K562 and 231 cell, Human kidney tissue lysates
<b>WB Recommended dilution:</b>	500-2000



